

ProMoS license server

License management ProMoS NT / NG



Version 1.1
Date: August 2022

© 2022 MST Systemtechnik AG

Table of contents

Chapter 1	Introduction	2
Chapter 2	First registration	2
Chapter 3	Registration	4
Chapter 4	Obtain / order quote	4
4.1	Standard license	5
4.2	Engineering license	10
Chapter 5	Edit license	11
Chapter 6	Download license	12
Chapter 7	Reset	12
Chapter 8	Upgrade	13
Chapter 9	Starting ProMoS NT	14
Chapter 10	License control	15
10.1	Soft dongle	15
10.2	Hardware dongle	15
Chapter 11	Possible solutions to problems	16

1 Introduction

The license management incl. ordering process of ProMoS installations will be extended from version 2.22.110.8. The existing license requests/orders will be discontinued.

The license management allows to get an offer or to order a license at any time. Known customers can also activate the licenses themselves.

In the license overview all running licenses are listed and it can be upgraded at any time


2 First registration

The license server is available at

<https://license.promosnt.com/>

accessible.


Login window:



The screenshot shows the login interface of the ProMoS License Server. At the top left is the logo 'PRO MOS License Server'. Below it is the heading 'Login'. There are two input fields: 'Email *' and 'Password *'. Below the password field is a checkbox labeled 'Remember me'. A blue button with a white arrow and the text 'Login' is positioned below the checkbox. At the bottom, there are two links: 'Keine Login-Daten? [Jetzt kostenlos registrieren!](#)' and 'Passwort vergessen? [Passwort zurücksetzen](#)'. At the very bottom are two more links: '[Deutsch](#)' and '[Impressum Datenschutz](#)'.

At the first login you have to click on [Register now for free!](#) an account must be created.

For this purpose the form has to be filled out:



The screenshot shows the registration interface of the ProMoS License Server. At the top left is the logo 'PRO MOS License Server'. Below it is the heading 'Registration'. There is a link 'Login-Daten' above the first input field. The form has three main sections: 1. 'Email *' input field. 2. 'Password *' and 'Repeat password *' input fields. 3. 'Adresse' section with 'Company *' input field, and 'First name *' and 'Last name *' input fields.

With the registration an email will be sent with a link to verify the mail address.

Email with verification link:

Bitte bestätigen Sie Ihre Email-Adresse Posteingang x

ProMoS License Server <pls@mst.ch>

an 

Hallo ,

vielen Dank für Ihre Registrierung!

Um Ihre Email-Adresse zu verifizieren und die Registrierung abzuschließen, klicken Sie bitte auf folgenden Link.

[Email-Adresse jetzt verifizieren](#)

Hinweis: Der Link ist bis zum 28.09.2021 um 14:51:24 Uhr gültig.


MST Systemtechnik AG

Airport Business Center 60

CH - 3123 Belp


Mail: info@mst.ch | Web: www.mst.ch

The link in the mail must be activated.




3 Registration


With the login data, the user can always log in to the license server.



If licenses already exist, they are displayed in the list:



4 Obtain / order quote



By clicking on "Get a quote" the following mask is displayed:

Lizenz bestellen

Bitte wählen Sie den Lizenztyp aus:

☒ Standard-Lizenz
☐ Engineering-Lizenz

Weiter >

Standard license

Is used to generate a quotation for a standard license. Must be selected for all projects where ProMoS NT/NG is to be used as runtime.

Engineering license

The engineering license has a fixed number of data points for the drivers and cannot be configured freely.

This license type is free of charge.

4.1 Standard license

The order form must be filled in.

Lizenz bestellen

Stammdaten

Software-Schutz
☐ SoftDongle
☐ HardDongle
0 EUR
120 EUR

Lizenznehmer
Firma *
Vorname *
Nachname *
Straße und Hausnummer *
PLZ *
Ort *
Kanton/Bundesland *
Land *
Email *
Telefon *

Lizenzdaten
Diese Angaben werden in ProMoS angezeigt.
Name *
PLZ *
Ort *

All fields marked with * must be filled in. Incorrect entries can be corrected later.

SoftDongle

The license is checked via the Internet. This requires that the ProMoS computer has an Internet connection.

HardDongle

A hardware dongle is supplied with the order, which must be plugged into a USB port in the system.

Driver selection:

Treiber			
BACnet IP 10	BACnet-Objekte (Maximum: 20.000)	0 EUR	Kostendetails ▼
Modbus 10	Datenpunkte (Maximum: 20.000)	0 EUR	Kostendetails ▼
MBus 1	Devices (Maximum: 2.000)	0 EUR	Kostendetails ▼
SAIA PCD 100	Datenpunkte (Maximum: 200.000)	0 EUR	Kostendetails ▼
Beckhoff ADS 100	Datenpunkte (Maximum: 200.000)	0 EUR	Kostendetails ▼
IEC60870 1	Datenpunkte (Maximum: 2.000)	0 EUR	Kostendetails ▼
OPC DA 10	Datenpunkte (Maximum: 20.000)	0 EUR	Kostendetails ▼
MQTT 10	Datenpunkte (Maximum: 20.000)	0 EUR	Kostendetails ▼
SNMP 1	Datenpunkte (Maximum: 2.000)	0 EUR	Kostendetails ▼
ESPA 1	Datenpunkte (Maximum: 2.000)	0 EUR	Kostendetails ▼
E-Mail 10	Datenpunkte (Maximum: 20.000)	0 EUR	Kostendetails ▼
KNX 10	Datenpunkte (Maximum: 20.000)	0 EUR	Kostendetails ▼

The pre-filled data points are free and do not need to be customized.

The desired driver(s) can be mutated directly in the input fields.

Example:

SAIA PCD 6000	Datenpunkte (Maximum: 200.000)	750 €	Kostendetails ▼
------------------	-----------------------------------	-------	-----------------

By entering e.g. 6000 data points, the price is automatically displayed.

If the down arrow is clicked on the right side, the details of the license are shown (how the license is composed).

SAIA PCD 6000	Datenpunkte (Maximum: 200.000)	750 €	Kostendetails ^
Datenpunkte	Preis	Datenpunkte	Preis
1 x 5.000	1 x 500 €	100 Datenpunkte	0 €
1 x 1.000	1 x 250 €	1.000 Datenpunkte	250 €
1 x 100	1 x 0 €	5.000 Datenpunkte	500 €
6.100	750 €	10.000 Datenpunkte	800 €
		50.000 Datenpunkte	3.000 €
		100.000 Datenpunkte	5.000 €

Remote alarming

MALM-Fernalarmierung

- | | |
|---|---------|
| <input type="checkbox"/> über E-Mail | 200 € |
| <input type="checkbox"/> über SMS, Pager | 800 € |
| <input type="checkbox"/> über HTTP-Request (auch TLS/SSL) | 400 € |
| <input type="checkbox"/> über ESPA 4.4.4 | 1.200 € |
| <input type="checkbox"/> über Spooler oder Programmaufruf | 200 € |

The desired remote alarming functions must be selected.

SmartHome

myStrom

- | | |
|-----------------------------|-----|
| <input type="checkbox"/> Ja | 0 € |
|-----------------------------|-----|

Philips Hue

- | | |
|--|-----|
| <input checked="" type="checkbox"/> Ja | 0 € |
|--|-----|

These components must be selected if the drivers are to be used.

ProMoS operating programs

ProMoS Bedienprogramme

- | | |
|--|---|
| GE (Remote)
1 gleichzeitiger Benutzer (Bereits enthalten) | ▼ |
| pWA
1 gleichzeitiger Benutzer (Bereits enthalten) | ▼ |

The number of simultaneous users must be selected:

- | | |
|--|---|
| GE (Remote)
1 gleichzeitiger Benutzer (Bereits enthalten) | ▼ |
| 1 gleichzeitiger Benutzer (Bereits enthalten) | |
| 2 gleichzeitige Benutzer (100 €) | |
| 3 gleichzeitige Benutzer (200 €) | |
| 4 gleichzeitige Benutzer (300 €) | |
| 5 gleichzeitige Benutzer (400 €) | |
| 6 gleichzeitige Benutzer (500 €) | |

Remarks

If remarks are to be added, then this field can be used for this purpose.

The total price is displayed at the bottom:

Weiter >

Gesamtpreis: **7.150 €** (exkl. MwSt.)

If a field is not filled in, it will be displayed after pressing the "Next >"-button.

If all the fields are filled in correctly, the summary will be displayed:

Stammdaten

Software-Schutz	SoftDongle
ProMoS-Version	
Name	Christoph Müller
PLZ	63457
Ort	Hanau
Lizenznehmer	MST System Solutions GmbH (Christoph Müller) Josef-Bautz-Str. 63457 Hanau Hessen Deutschland Email: mueller@mat-solutions.de Telefon: 015127551103

Treiber

BACnet IP	10 BACnet-Objekte
Modbus	10/10 Datenpunkte
MBus	1 Devices
SAIA PCD	6100 Datenpunkte
Beckhoff ADS	100 Datenpunkte
IEC60870	1 Datenpunkt
OPC DA	10 Datenpunkte
MQTT	10 Datenpunkte
SNMP	1 Datenpunkt
ESPA	1 Datenpunkt
E-Mail	10 Datenpunkte
KNX	10 Datenpunkte

ProMoS Bedienprogramme

GE (Remote)	1 gleichzeitiger Benutzer
pWA	5 gleichzeitige Benutzer

Enthaltene Positionen

Position	Menge	Einzelpreis	Betrag
Software-Schutz: SoftDongle	1	0 €	0 €
BACnet IP: 10 BACnet-Objekte	1	0 €	0 €
Modbus: 10 Datenpunkte	1	0 €	0 €
Modbus: 10000 Datenpunkte	1	6.000 €	6.000 €
MBus: 1 Devices	1	0 €	0 €
SAIA PCD: 100 Datenpunkte	1	0 €	0 €
SAIA PCD: 1000 Datenpunkte	1	250 €	250 €
SAIA PCD: 5000 Datenpunkte	1	500 €	500 €
Beckhoff ADS: 100 Datenpunkte	1	0 €	0 €
IEC60870: 1 Datenpunkt	1	0 €	0 €
OPC DA: 10 Datenpunkte	1	0 €	0 €
MQTT: 10 Datenpunkte	1	0 €	0 €
SNMP: 1 Datenpunkt	1	0 €	0 €
ESPA: 1 Datenpunkt	1	0 €	0 €
E-Mail: 10 Datenpunkte	1	0 €	0 €
KNX: 10 Datenpunkte	1	0 €	0 €
GE (Remote): 1 gleichzeitiger Benutzer	1	0 €	0 €
pWA: 5 gleichzeitige Benutzer	1	400 €	400 €
		Nettobetrag	7150 €
		Umsatzsteuer 19%	1.358 €
		Endbetrag	8.508 €

< Zurück

Angebot einholen ✓

Via "Get quote" the quote will be sent to the EMail address.

In the mail, the individual positions are listed including individual and total prices + VAT.

Ihr ProMoS Angebot Nr. 1921900011#1 Posteingang x

ProMoS License Server <pls@mst.ch>

22:18 (vor 3 Minuten) ☆ ↶ ⋮

an Christoph

Hallo Christoph Müller,

diese Email enthält Ihr Angebot Nr. 1921900011#1.

Es ist bis zum 14.12.2021 gültig.

Sollten Sie das Angebot annehmen wollen, können Sie es jederzeit im PLS aufrufen und direkt mit Ihren Angaben bestellen. Verwenden Sie dazu gern den folgenden Link:

[Angebot annehmen und bestellen](#)**Angebotsdaten**

Angebotsnr.	1921900011#1
Gültig bis	14.12.2021

Ihre Angaben

Name	Christoph Müller
Straße und Hausnummer	Josef-Bautz-Str.
PLZ	63457
Ort	Hanau
Kanton/Bundesland	Hessen
Land	Deutschland

Via the link (red arrow) the offer can be ordered later.
The offer will be shown again in detail.

In the license server the offers are listed:

Meine Angebote[🕒 Angebot einholen](#)

Ihr Angebot Nr. 1921900011#1 wurde erstellt und wird Ihnen in Kürze per Email an christoph.mueller180@gmail.com zugesandt.

Suche...

🔍 Suchen

🔼 Filter

Nummer	Typ	Lizenz	Lizenznehmer	Erstellt am	Gültig bis	Preis	
1921900011#1	Neu	Christoph Müller, 63457 Hanau	MST System Solutions GmbH (Christoph Müller)	14.09.2021	14.12.2021	7150 €	👁 Anzeigen 🗑 Löschen

After triggering the order, the following output is shown:

Lizenz 1921900011

[Lizenz bearbeiten](#) [Lizenz herunterladen](#) [Zurücksetzen](#) [Upgrade](#)

Vielen Dank für Ihre Bestellung!

Sobald Ihre Zahlung bei uns eingegangen ist, werden wir Ihre Lizenz schnellstmöglich freischalten und Sie per Email informieren.

ProMoS-Status

Status stopped

Leistungsumfang

Diese Lizenz enthält keine aktiven Services. Möglicher Grund: Es wurde bisher noch keine Mutation aktiviert.

And an info mail is sent to the customer:

Ihre ProMoS Bestellung Nr. 1921900011#1 [Posteingang x](#)

ProMoS License Server <pls@mst.ch>
an Christoph

Hallo Christoph Müller,

vielen Dank für Ihre Bestellung 1921900011#1..

Sobald Ihre Zahlung bei uns eingegangen ist, werden wir Ihre Lizenz schnellstmöglich freischalten und Sie per Email informieren.

Ihre Angaben

Name	Christoph Müller
Straße und Hausnummer	Josef-Bautz-Str.
PLZ	63457
Ort	Hanau
Kanton/Bundesland	Hessen
Land	Deutschland

If the payment is received, the license will be activated by MST.

If the customer is known for many years, the license will be activated immediately.

4.2 Engineering license

The mask corresponds to the input of the standard license, except that the number of driver data points cannot be selected.

Lizenz bestellen

Stammdaten

Software-Schutz

☐ SoftDongle

0 EUR

☐ HardDongle

120 EUR

☒ Engineering

0 EUR

Lizenznehmer

Firma *

Vorname *

Nachname *

Straße und Hausnummer *

PLZ *

Ort *

Lizenzdaten

Diese Angaben werden in ProMoS angezeigt.

The setting "SoftDongle", "HardDongle" cannot be selected, because the engineering licenses only allow the activation via Internet.


The following driver data points are enabled:

BACnet IP	10.000 BACnet objects
Modbus	10.000 data points
Mbus	100 devices
SAIA PCD	100.000 data points
Beckhoff ADS	100.000 data points
IEC60870	1000 data points
OPC DA	10.000 data points
MQTT	10.000 data points
SNMP	1000 data points
ESPA	1000 data points
E-mail	10.000 data points
KNX	10.000 data points
MALM	All modules
MyStrom	No limitation
Philips Hue	No limitation

The license runs for 24 hours. After that, the system must be restarted.

The license is valid for 3 years and must be renewed afterwards (free of charge).

5 Edit license



The displayed license data can be edited:


Lizenz bearbeiten

Lizenzdaten

Name *	<input type="text" value="ProMoS License Server"/>
PLZ *	<input type="text" value="63467"/>
Ort *	<input type="text" value="Hanau"/>
<input type="button" value="Speichern"/> <input type="button" value="Abbrechen"/>	

Further data cannot be adjusted after the order (except driver data points etc. via the "Upgrade" function).

6 Download license



The license file can be downloaded via this function. The file with extension .json must be copied into the project directory ..\lic (only for hardware dongle).

Structure of the license file name in the license server: license-number.json

Structure of the license file name in the lic directory: promos.json

The file MUST be renamed from licensenumber.json to promos.json!

ATTENTION:

If something is adjusted to this file with an editor, ProMoS can no longer be started!


For hardware dongle licenses the license file may only be downloaded when the dongle has been delivered (before the dongle number is not yet entered in the license server).

Old promos.key files must be deleted or renamed.

A soft dongle must not have a hardware dongle plugged in.

With soft dongle the license must NOT be copied into the project!

7 Reset



If a license is transferred from one computer to another, the license must be reset. Only then can ProMoS be started on another computer.

Lizenz 1921900011

Wollen Sie die Lizenz 1921900011 wirklich zurücksetzen?


[Lizenz jetzt zurücksetzen](#) [Abbrechen](#)

ProMoS will then only run on the new computer and no longer on the previous computer.

Does not apply to hardware dongles.


8 Upgrade

In order to perform an upgrade, the installation must be stopped (Exit ProMoS). Then the option to perform an upgrade appears at the top right:



An existing license can be upgraded at any time (offer or order directly).

The licenses already included are displayed and the number of data points can be increased (decreasing is not possible).



The costs for the number of data points added are displayed the same.


The license details of the extended license are displayed:

MBus	151 Devices
SAIA PCD	Vorher: 100.100 Datenpunkte Nachher: 200.100 Datenpunkte
Beckhoff ADS	10.100 Datenpunkte

The license can now be ordered with costs and is also immediately available for already known customers.

9 Starting ProMoS NT


When ProMoS is started for the first time, the license dialog appears:



The dialog box titled "License Server Information" contains the following fields and buttons:

- License Server Address:** <https://license.promosnt.com> (with OK and Cancel buttons)
- License Number:** (empty text field)
- License Token:** (empty text field)
- Hardware ID:** 502c649d1171ad2e8705074ce97791db
- Footer:** Please get your license credentials from the license server provider.

Or in German (if language is not set):



The dialog box titled "Lizenz Server Angaben" contains the following fields and buttons:


- Lizenz Server Adresse:** <https://license.promosnt.com> (with OK and Abbrechen buttons)
- Lizenz Nummer:** (empty text field)
- Lizenz Token:** (empty text field)
- Hardware ID:** 502c649d1171ad2e8705074ce97791db
- Footer:** Bitte entnehmen Sie die Lizenzangaben vom Lizenzserver.

License Server Address

The address of the license server should be entered here (default: <https://license.promosnt.com>).

License Number

The license number can be viewed in the license server in the license master data:




Number [REDACTED] (with a red arrow pointing to the field)

Token [Show token](#)

The number must be entered.

License Token

The license token can be viewed in the license server at the master data of the license:



Number [REDACTED]

Token [Hide token](#) [REDACTED] (with a red arrow pointing to the field)

The token is hidden by default and must be activated via "Show token".

The token must be entered.

Hardware ID

The hardware ID is determined automatically and differs for each PC and VM. If the hardware ID is no longer correct, the system can only be restarted after a reset ("Reset license").

Reset license:



License [REDACTED] [Edit license](#) [Download license](#) [Reset](#) [Upgrade](#)

The license must be reset if the hardware has been changed.

10 License control

The existence of a license is checked on an ongoing basis.

10.1 Soft dongle

ProMoS queries the license server once a day. If the license can be verified, the system continues to run normally.

If the license cannot be verified, the system continues to run for 10 days without displaying a message (e.g. brief Internet failure).

After 10 days, a message will be displayed stating that the license server is not available. After a further 20 days, ProMoS is automatically shut down and can no longer be started without a license server connection (only 1 hour runtime). If the license server is reachable once in the meantime, verification starts again normally.

10.2 Hardware dongle

If a hardware dongle is used, the license must be downloaded and copied to the `..\lic` directory (file "License number.json").

If the dongle ID matches the license, the system will start normally. If the hardware dongle is removed, the system will continue to run for about one hour before it is automatically terminated.

If a hardware dongle is used, no Internet connection is required.

11 Possible solutions to problems

If old license files are still present in an existing project, ProMoS NT can sometimes not be started with the correct license. If this problem occurs, please implement the following steps.

Existing old licenses

Delete the old `..\proj\yourproject\lic\promos.key` file (or rename it).

JSON license copied to lic directory by hand for soft dongle

For software dongle, no json file must be stored in the lic directory (except `licinfo.cfg`).

The file `licinfo.cfg` is created automatically when logging in to the license server.

Delete temporary licenses

If you have used a temporary code (code A and code B), you have to delete it.

Temporary licenses can be found in `..\bin\promos.ini` in the section `[ActCode]` plus the two additional lines.

Example:

```
[ActCode]
CodeA=b94d0a5f
CodeB=f6455777
```

Must be deleted with a text editor.

Old soft dongles

If you are using an old software license code (Code C,D,E,F), it must be deactivated.

The file `..\bin\promos2.ini` must be deleted or renamed.